

## **GREENHOUSE FILM – GREENPRO CLEAR**

Sl No	Property	Standard/ Test Method	Units	GreenPro Clear Values
1	Tensile Strength - MD	ASTM D882	Mpa	20.8
2	Tensile Strength - TD	ASTM D882	Mpa	18.5
3	% Elongation - MD	ASTM D882	%	800
4	% Elongation - TD	ASTM D882	%	800
5	Free Fall Dart Impact	ASTM D1709	gms	910
6	% Light Transmission	ASTM D1003	%	88
7	% Haze	ASTM D1003	%	56
8	% Diffusion	ASTM D1003	%	49
9	Xenon Arc weathering (340nm )-Elongation Retention MD	ASTM D882	%	> 60

### Advantages:

1. High penetration of PAR light, enhances growth & yield
2. Long term durability – enough to use several seasons
3. Superior mechanical & optical properties
4. Resistant to harmful pesticides containing sulphur and chlorine

[info@greenpro.co.in](mailto:info@greenpro.co.in) | [www.greenpro.co.in](http://www.greenpro.co.in)

